


Jacobsen Meadows

Part of Lot 1, part of Lot 2, and all of Lot 3 of CSM 5764 located in part of the Northeast 1/4 of the Northeast 1/4 and part of the Northwest 1/4 of the Northeast 1/4 of Section 18, and all of Lot 2 CSM 5765 located in part of the Southwest 1/4 of the Southwest 1/4 of Section 7, and all of Lot 4 of CSM 5766 located in part of the Northwest 1/4 of the Northwest 1/4 of Section 18, and part of the Northeast 1/4 of the Northwest 1/4 of Section 18, all located in Township 20 North, Range 17 East, Town of Menasha, Winnebago County, Wisconsin.



LEGEND

- 2" Iron Pipe Found
- 1" Iron Pipe Found
- 3/4" Rebar Found
- 1/2" x 24" Steel Rebar @ 4.30b/LF SET
- All other corners
- 1 1/2" outside diameter x 18" Iron Pipe @ 1.68b/LF SET
- SF: Lot areas in square feet
- () Recorded As

NOTES

All linear measurements have been made to the nearest one hundredth of a foot.
All angular measurements have been made to the nearest 20 seconds and computed to the nearest half second.




There are no objections to this plat with respect to Secs. 236.15, 236.16, 236.20 and 236.21(1) and (2), Wis. Stats. as provided by s. 236.12, Wis. Stats.
Certified August 24, 2006
Kereneh Dany
Department of Administration

Surveyor's Certificate

I, William F. Kottler, registered land surveyor, hereby certify: That in full compliance with the provisions of Chapter 236 of the Wisconsin Statutes and the subdivision regulations of the Town of Menasha and Winnebago County, and under the direction of Decker Ranch Development, Inc., Ronald C. and Virginia C. Meyer, Richard J. and Patricia K. Pieperberg and Eugene R. Samell, corners of said land, I have surveyed and divided and mapped plat of Jacobsen Meadows, that such plat correctly represents all exterior boundaries and the subdivision of the land surveyed; and that this land is located in part of Lot 1, part of Lot 2, and all of Lot 3 of CSM 5764 located in part of the Northeast 1/4 of the Northeast 1/4 and part of the Northwest 1/4 of the Northeast 1/4 of Section 18, and all of Lot 2 CSM 5765 located in part of the Southwest 1/4 of the Southwest 1/4 of Section 7, and all of Lot 4 of CSM 5766 located in part of the Northwest 1/4 of the Northwest 1/4 of Section 18, and part of the Northeast 1/4 of the Northwest 1/4 of Section 18, all located in Township 20 North, Range 17 East, Town of Menasha, Winnebago County, Wisconsin, containing 1,399,623 Square Feet (32.1309 Acres) of land described as follows:
Commencing at the Southwest Corner of said Section 7; thence along the South line of the Southwest 1/4 of said Section 7, S89°10'21"E, 50.02 feet; thence N00°54'30"W, 40.02 feet to the East line of Clayton Avenue and the point of beginning; thence continuing along said East line, N00°54'30"W, 150.07 feet to the Southwest corner of Lot 1 of Certified Survey Map 5765; thence along the south line of said Lot 1, S89°10'21"E, 753.81 feet to the West line of Lot 3 of Certified Survey Map 5765; thence along said West line, S00°21'10"E, 150.04 feet to the Southwest corner of said Lot 3; thence S01°31'09"W, 80.01 feet to the Northeast corner of Lot 3 of Certified Survey Map 5765; thence along the South line of Jacobsen Road, S89°10'21"E, 320.05 feet; thence N00°09'13"W, 40.01 feet to the North line of the Northeast 1/4 of Section 18; thence along said North line, S89°10'21"E, 1105.26 feet to the North 1/4 Corner of said Section 18; thence S00°16'50"E, 33.01 feet to the South line of Jacobsen Road; thence along said South line, S89°10'21"E, 751.04 feet to the Northeast corner of Lot 1 of Certified Survey Map 1811; thence along the North line of said Lot 1, S89°10'21"E, 220.05 feet to the Northeast corner of said Lot 1; thence S82°24'57"E, 60.56 feet to the South line of Jacobsen Road; thence along said South line, S89°10'21"E, 1,382.00 feet to the Northeast corner of Lot 1 of Small Subdivision; thence S00°16'50"E, 173.00 feet to the Northeast corner of Lot 3 of Small Subdivision; thence S89°10'21"E, 1,382.00 feet to the East line of Clayton Avenue; thence along said East line, N00°16'58"W, 173.00 feet to the South line of Jacobsen Road; thence N82°24'57"E, 60.56 feet to the Northeast corner of Lot 1 of Certified Survey Map 1811; thence along the South line of Jacobsen Road, N89°10'21"E, 220.05 feet to the Northeast corner of said Lot 1; thence S00°16'50"E, 377.75 feet; thence N70°15'07"W, 176.40 feet; thence N59°40'23"W, 113.77 feet; thence N20°18'03"W, 46.98 feet; thence N43°47'15"W, 102.54 feet; thence N68°38'40"W, 174.02 feet; thence S80°31'33"W, 95.98 feet; thence S71°47'08"W, 95.98 feet; thence N89°10'21"W, 90.84 feet to the East line of the Northeast 1/4 of said Section 18; thence along said East line, S00°16'50"E, 1138.98 feet to the South line of the Northeast 1/4 of the Northeast 1/4 of said Section 18; thence along said South line, N89°11'10"W, 383.74 feet; thence N01°39'42"E, 500.64 feet; thence S81°03'23"E, 48.18 feet; thence N08°59'37"E, 120.38 feet; thence N01°06'50"E, 101.06 feet along the arc of a curve to the left with a radius of 2030.00 feet and a chord of 101.05 feet which bears S83°30'42"E; thence N05°18'08"E, 60.00 feet; thence N20°18'03"W, 46.98 feet along the arc of a curve to the right with a radius of 1970.00 feet and a chord of 122.00 feet which bears N03°18'11"W; thence N03°35'07"E, 154.37 feet; thence N88°16'46"W, 49.74 feet; thence S84°41'52"W, 105.32 feet; thence N12°53'53"E, 112.53 feet along the arc of a curve to the left with a radius of 370.00 feet and a chord of 112.19 feet which bears N04°52'02"E to a point of reverse curvature; thence 20.00 feet along the arc of a curve to the left with a radius of 170.00 feet and a chord of 19.98 feet which bears N10°13'03"E; thence S84°51'12"W, 52.12 feet; thence 21.97 feet along the arc of a curve to the left with a radius of 110.00 feet and a chord of 21.94 feet which bears N07°51'33"E; thence S88°50'47"W, 144.53 feet; thence N89°10'21"W, 320.05 feet to the Southwest corner of Lot 3 of Certified Survey Map 5765; thence along the East line of said Lot 3, N00°09'13"W, 234.60 feet to the Northeast corner of said Lot 3; thence N01°31'09"E, 80.01 feet to the Southwest corner of Lot 3 of Certified Survey Map 5765; thence along the North line of Jacobsen Road, N89°10'21"E, 752.79 feet to the point of beginning.

Given under my hand this 25th day of August, 2006.

William F. Kottler, Wisconsin Registered Land Surveyor No. S-2348



File: 2802final.plt.dwg
Date: 08/16/2006
Drafted By: eric
Sheet: 1 of 3



Davel Engineering, Inc.
Civil Engineers and
Land Surveyors
1811 Racine Street
Menasha, Wisconsin
Ph. 920-991-1868, Fax 920-930-9595

62.

Part of Lot 1, part of Lot 2, and all of Lot 3 of CSM 5764 located in part of the Northeast 1/4 of the Northeast 1/4 and part of the Northwest 1/4 of the Northeast 1/4 of Section 18, and all of Lot 2 CSM 5765 located in part of the Southwest 1/4 of the Southwest 1/4 of Section 7, and all of Lot 4 of CSM 5766 located in part of the Northwest 1/4 of the Northwest 1/4 of Section 18, and part of the Northeast 1/4 of the Northwest 1/4 of Section 13; all located in Township 20 North, Range 17 East, Town of Marsha, Winnebago County, Wisconsin.

Maintenance of all drainage ways and associated structures within the subdivision, or serving the subdivision, is the sole responsibility of the property owners of the subdivision, unless noted on the plan. Upon failure of the property owners to perform maintenance of the drainage ways and associated structures, the county and/or township retains the right to perform maintenance and/or repairs; the cost of such maintenance and/or repairs shall be assessed equally among the property owners of the subdivision with a drainage covenant.

Lots 53 through 56 are hereby restricted so that no owner, possessor, user, licensee, or other person may have any right of direct vehicular ingress from or egress to any highway lying within the right-of-way of Jacobson Road as shown on this land division map; it is expressly intended that this restriction constitute a restriction for the benefit of the public as provided in s.238.233, Wisconsin Statutes, and shall be enforceable by the Winnebago County or its assigns. Any access shall be allowed only by special exception. Any access allowed by special exception shall be confirmed and granted only through the driveway permitting process and all permits are revocable.

Roads shown to the exterior property line(s) may not be vacated without the express written approval of the Winnebago County Planning & Zoning Committee, it being the intent of the restriction to prevent elimination of right-of-way required as a condition of preliminary plat approval by Winnebago County without their authorization.

Resolved, that the plat of Jacobsen Meadows, in the Town of Menasha, Winnebago County is hereby approved by the Town Board of the Town of Menasha.

I hereby certify that the foregoing is a copy of a resolution adopted by the Town Board of the Town of Menasha.

© 2004 Blackwell Publishing Ltd, *Journal of Internal Medicine* 255: 111–117

We, being the duly elected, qualified and acting Treasurer's of the Town of Menasha and Winnebago County, do hereby certify that in accordance with the records in our office, there are no unredeemed tax sales and unpaid taxes, or special

Town Treasurer: 8 Date: 2-1-6

Resolved, that the plat of Jacobsen Meadows, in the Town of Menasha, Winnebago County is hereby approved by Winnebago County.

Resolved, that the plat of Jacobsen Meadows in the Town of Menasha, Winnebago County is hereby approved by the Common Council of the City of Neenah.

James L. Smith 9-12-06

Patricia A. Hunt 9-11-06


This Plot is contained wholly within the property described in the following:

Owners of record	Recording information	Parcel No(s)
------------------	-----------------------	--------------

In the Presence of:	
<u>Donald H. Decker</u>	<u>9-1-06</u>
Gordon H. Decker	Date
President, Decker Ranch Development Inc.	
<u>Ernest R. Sawatzky</u>	<u>9/1/06</u>
Eugene R. Sawatzky	Date
<u>Richard D. Peapenburg</u>	<u>9-1-06</u>
Richard J. Peapenburg	Date
<u>Adrian G. Peapenburg</u>	<u>9-1-06</u>
Adrian K. Peapenburg	Date
<u>Ronald C. Meyer</u>	<u>9-1-06</u>
Ronald G. Meyer	Date
<u>Virginia F. Meyer</u>	<u>9-1-06</u>
Virginia F. Meyer	Date

In the Presence of: Mark & D. [Signature] 9-1-06

Alice M. Decker	Date _____
Gordon H. Decker	
President, Decker Ranch Development Inc.	
<i>Eugene R. Sawall</i>	9/1/06
Eugene R. Sawall	Date _____
<i>Richard D. Paspenburg</i>	9-1-06
Richard J. Paspenburg	Date _____
<i>Richard J. Paspenburg</i>	9-1-06
Patricia K. Paspenburg	Date _____
<i>Ronald C. Meyer</i>	9-1-06
Ronald G. Meyer	Date _____
<i>Vincent F. Meyer</i>	9-1-06
Vincent F. Meyer	Date _____



Scale: 1" = 100'



100 0 100 200 300

Bearings are referenced to the North line of
the NW 1/4 of Section 18, T 20 N, R 17 E
Recorded to bear S89°10'21"E

- 2" Iron Pipe Found
- 1" Iron Pipe Found
- ¾" Rebar Found
- 1½" x 24" Steel Rebar @ 4.30lbs/LF SET

All other corners
 1½" outside diameter x 16" Iron Pipe @ 1.68lbs/LF SET

SF Lot areas in square feet

All linear measurements have been made to the nearest one hundredth of a foot.

All angular measurements have been made to the nearest 20 seconds and computed to the nearest half seconds.

WILLIAM F. KOTTLER
LS-2348
APPLETON
WI

There are no objections to this plat with respect to
Secs. 236.15, 236.16, 236.20 and 236.21(1) and (2),
Wis. Stats. as provided by s. 236.12, Wis. Stats.

Certified August 24th 1906
Benjamin Powers
Department of Administration



Revision Date: Aug 16, 2006



Davel Engineering, Inc.
*Civil Engineers and
 Land Surveyors*
 1811 Racine Street
 Menasha, Wisconsin
 Ph. 920-991-1866, Fax 920-830-9595

Aug 16, 2006-5:00pm J:\Projects\2802cen\dmg\2802final phl.dwg Printed by: eric

62.

Jacobsen Meadows

Part of Lot 1, part of Lot 2, and all of Lot 3 of CSM 5764 located in part of the Northeast 1/4 of the Northeast 1/4 and part of the Northwest 1/4 of the Northeast 1/4 of Section 18, and all of Lot 2 CSM 5765 located in part of the Southwest 1/4 of the Southwest 1/4 of Section 7, and all of Lot 4 of CSM 5766 located in part of the Northwest 1/4 of the Northwest 1/4 of Section 18, and part of the Northeast 1/4 of the Northeast 1/4 of Section 18, all located in Township 20 North, Range 17 East, Town of Menasha, Winnebago County, Wisconsin.

Curve	Radius	Chord Direction	Chord Length	Arc Length	Central Angle	Tangent Bearing-In	Tangent Bearing-Out
C1	2030.00'	N83°36'42"W	101.05'	101.05'	2°51'09"	N85°02'16"W	N 32°11'07" W
C2	1970.00'	N83°18'11"W	120.00'	120.00'	3°29'28"	N85°10'24"W	N 81°33'27" W
C3	370.00'	N04°52'02"E	112.19'	112.83'	1°23'22"	N03°51'11"W	N 13°39'14" E
C4	170.00'	S10°13'03"W	19.98'	20.00'	6°44'22"	S06°50'52"W	S 13°35'14" W
C5	6030.00'	S00°24'23"E	290.82'	290.82'	2°45'49"	S00°58'32"E	S 01°47'17" W
C6	6030.00'	S00°28'32"E	105.21'	105.21'	0°59'59"	S00°58'32"E	S 00°01'27" W
C7	6030.00'	S00°25'58"W	98.00'	98.00'	0°49'02"	S00°01'27"W	S 00°50'29" W
C8	6030.00'	S01°18'53"W	99.64'	99.64'	0°58'48"	S00°50'29"W	S 01°47'17" W
C9	7530.00'	S83°18'35"E	42.22'	42.22'	0°19'16"	S83°28'14"E	S 83°08'57" E
C10	741.25'	N86°19'46"W	82.24'	82.29'	6°21'37"	N89°30'34"W	N 83°58'27" W
C11	301.25'	N88°21'15"W	39.59'	39.59'	88.64'	N89°30'34"W	N 83°58'27" W
C12	7470.00'	S83°11'53"E	37.21'	37.21'	0°17'07"	S83°28'14"E	S 83°08'57" E
C13	6030.00'	S04°15'48"W	400.54'	400.81'	3°48'23"	S02°21'38"W	S 06°09'59" W
C14	6030.00'	S02°15'44"W	105.69'	105.69'	1°00'19"	S02°21'38"W	S 03°21'51" W
C15	6030.00'	S03°48'12"W	85.39'	85.39'	0°48'41"	S03°21'51"W	S 04°10'32" W
C16	6030.00'	S04°34'53"W	85.39'	85.39'	0°48'41"	S04°10'32"W	S 04°59'13" W
C17	6030.00'	S05°23'34"W	85.39'	85.39'	0°48'41"	S04°59'13"W	S 05°47'54" W
C18	6030.00'	S05°58'57"W	38.74'	38.74'	0°22'05"	S05°47'54"W	S 06°09'59" W
C19	2970.00'	N03°30'19"E	275.81'	275.91'	5°19'22"	N00°50'38"E	N 06°09'59" E
C20	2970.00'	N05°40'02"E	51.78'	51.78'	0°55'54"	N05°10'05"E	N 06°09'59" E
C21	2970.00'	N04°17'12"E	91.38'	91.39'	1°45'47"	N03°24'18"E	N 05°10'05" E
C22	2970.00'	N02°31'28"E	91.38'	91.39'	1°45'47"	N01°38'31"E	N 03°24'18" E
C23	2970.00'	N01°14'34"E	41.38'	41.38'	0°47'54"	N00°50'38"E	N 01°38'31" E
C24	60.00'	N89°39'27"W	50.00'	314.16'	299°59'51"	S89°39'22"E	N 60°20'29" E
C25	60.00'	S29°54'53"E	59.53'	62.23'	59°23'58"	S59°39'22"E	S 03°10'24" E
C26	60.00'	S22°52'47"W	46.59'	48.28'	48°06'23"	S00°10'24"E	S 45°55'59" W
C27	60.00'	S67°38'12"W	44.31'	45.39'	43°20'29"	S45°55'59"W	S 89°16'24" W
C28	60.00'	N89°17'48"W	43.84'	44.88'	42°51'38"	S89°15'24"W	N 47°52'00" E
C29	60.00'	N23°06'09"W	50.27'	51.87'	49°31'42"	N47°52'00"W	N 01°38'31" E
C30	60.00'	N31°00'06"E	58.90'	61.48'	58°40'48"	N01°38'31"E	N 60°20'29" E
C31	3030.00'	N09°30'01"E	281.91'	282.01'	5°19'59"	N09°50'02"E	N 06°09'59" E
C32	3030.00'	N01°13'29"E	41.33'	41.33'	0°48'53"	N00°50'02"E	N 01°36'55" E
C33	3030.00'	N02°27'39"E	39.41'	39.41'	1°41'27"	N01°36'55"E	N 03°18'22" E
C34	3030.00'	N04°09'17"E	86.22'	86.22'	1°37'50"	N03°18'22"E	N 04°56'12" E
C35	3030.00'	N05°33'08"E	65.04'	65.04'	1°13'48"	N04°56'12"E	N 06°09'59" E
C36	5970.00'	S05°52'42"W	60.06'	60.06'	0°34'35"	S05°39'24"W	S 06°09'59" W
C37	5970.00'	S03°40'02"W	280.70'	280.73'	2°41'39"	S02°19'12"W	S 05°00'51" W
C38	5970.00'	S04°31'26"W	102.21'	102.21'	0°58'51"	S04°02'00"W	S 06°09'59" W

Curve	Radius	Chord Direction	Chord Length	Arc Length	Central Angle	Tangent Bearing-In	Tangent Bearing-Out
C39	5970.00'	S03°39'58"W	80.00'	80.00'	0°48'04"	S03°15'56"W	S 04°02'00" W
C40	5970.00'	S02°47'54"W	98.52'	98.52'	0°58'44"	S02°19'12"W	S 03°15'56" W
C41	7470.00'	S85°38'49"E	717.03'	717.31'	5°30'07"	S88°23'52"E	S 83°53'45" E
C42	7470.00'	S84°21'22"E	120.00'	120.00'	0°55'14"	S84°48'59"E	S 83°53'45" E
C43	7470.00'	S85°08'03"E	82.86'	82.86'	0°38'08"	S85°27'07"E	S 84°48'59" E
C44	7470.00'	S85°46'28"E	83.97'	83.97'	0°38'39"	S86°05'45"E	S 85°27'07" E
C45	7470.00'	S86°25'05"E	83.97'	83.97'	0°38'39"	S86°44'24"E	S 86°05'45" E
C46	7470.00'	S87°03'43"E	83.97'	83.97'	0°38'39"	S87°23'03"E	S 86°44'24" E
C47	7470.00'	S87°42'22"E	83.97'	83.97'	0°38'39"	S88°01'41"E	S 87°23'03" E
C48	7470.00'	S88°21'00"E	83.97'	83.97'	0°38'39"	S88°40'20"E	S 88°01'41" E
C49	7470.00'	S89°02'06"E	94.60'	94.60'	0°43'32"	S89°23'52"E	S 88°40'20" E
C50	110.00'	S37°47'33"E	171.89'	197.28'	102°45'35"	S89°10'21"E	S 13°36'14" W
C51	110.00'	S07°51'53"W	21.94'	21.97'	11°26'43"	S02°08'31"W	S 13°36'14" W
C52	110.00'	S43°30'55"E	157.34'	175.31'	91°18'52"	S89°10'21"E	S 02°08'31" W
C53	130.00'	N44°39'47"W	182.27'	201.99'	89°01'08"	N89°10'21"W	N 00°09'13" W
C54	130.00'	N85°41'01"W	15.82'	15.83'	6°58'40"	N89°10'21"W	N 82°11'41" W
C55	130.00'	N70°28'45"W	52.94'	53.32'	23°29'53"	N62°11'41"W	N 58°41'48" W
C56	130.00'	N47°18'15"W	51.38'	51.70'	22°47'07"	N65°44'18"W	N 35°54'41" W
C57	130.00'	N24°31'08"W	51.38'	51.70'	22°47'07"	N35°54'41"W	N 13°07'35" W
C58	130.00'	N06°39'24"W	29.37'	29.43'	58°22'22"	N13°07'35"W	N 06°09'13" W
C59	70.00'	N44°39'47"W	98.14'	108.78'	89°01'08"	N89°10'21"W	N 00°09'13" W
C60	170.00'	S51°21'03"E	208.49'	224.44'	75°38'37"	S89°10'21"E	S 13°31'44" E
C61	170.00'	S62°09'58"E	41.48'	41.58'	14°00'52"	S89°10'21"E	S 75°09'29" E
C62	170.00'	S62°12'47"E	78.19'	78.81'	25°53'11"	S75°09'29"E	S 49°16'17" E
C63	170.00'	S31°24'01"E	104.34'	106.05'	35°44'33"	S49°16'17"E	S 13°31'44" E
C64	7530.00'	S86°40'44"E	722.89'	722.93'	5°30'03"	S89°25'45"E	S 83°55'42" E
C65	7530.00'	S89°06'13"E	85.82'	85.82'	0°38'08"	S89°25'45"E	S 84°48'59" E
C66	7530.00'	S88°27'22"E	84.52'	84.52'	0°38'39"	S88°46'40"E	S 88°08'05" E
C67	7530.00'	S87°48'47"E	84.52'	84.52'	0°38'39"	S88°08'05"E	S 87°23'29" E
C68	7530.00'	S87°10'12"E	84.52'	84.52'	0°38'39"	S87°23'29"E	S 86°50'54" E
C69	7530.00'	S86°31'12"E	86.34'	86.34'	0°38'29"	S86°50'54"E	S 86°11'29" E
C70	7530.00'	S85°51'45"E	86.45'	86.45'	0°38'28"	S86°11'29"E	S 85°32'01" E
C71	7530.00'	S85°11'00"E	92.07'	92.07'	0°42'02"	S85°32'01"E	S 84°49'58" E
C72	7530.00'	S84°22'51"E	118.88'	118.88'	0°54'16"	S84°49'58"E	S 83°55'42" E
C73	5970.00'	S00°22'35"W	284.70'	284.73'	2°43'57"	S00°59'24"E	S 01°44'34" W
C74	5970.00'	S01°14'22"W	104.89'	104.89'	1°03'24"	S00°44'10"W	S 01°44'34" W
C75	5970.00'	S00°21'08"W	80.00'	80.00'	0°16'04"	S00°01'54"E	S 00°44'10" W
C76	5970.00'	S00°30'59"E	99.84'	99.84'	0°57'29"	S00°59'24"E	S 00°01'54" E

Corporate Owner's Certificate of Dedication

Decker Rusch Development, Inc., a corporation duly organized and existing under and by virtue of the laws of the State of Wisconsin, as owner, does hereby certify that said corporation caused the land described on this plat to be surveyed, divided, mapped and dedicated as represented on this plat.

Decker Rusch Development, Inc., does further certify this plat is required by s.236.10 or s.236.12 to be submitted to the following for approval or objection:

Winnebago County Planning and Zoning Committee
Town of Menasha
City of Neenah
Department of Administration

IN WITNESS WHEREOF, the said Decker Rusch Development, Inc., has caused these presents to be signed by its authorized representatives, located at, Oshkosh, Wisconsin

this 1st day of September, 2006

In the Presence of: Decker Rusch Development, Inc.
Gordon H. Decker
Gordon H. Decker, President

State of Wisconsin) ss
Winnebago County)

Personally came before me this 1st day of September, 2006, the above named to me known to be the persons who executed the foregoing instrument and acknowledged the same.

Gordon H. Decker
Notary Public, Wisconsin

My commission expires: 4/26/09

NOTARY PUBLIC
STATE OF WISCONSIN
JUDY A. HUNKER

Owner's Certificate of Dedication

As owners, we hereby certify that we caused the land described on this plat to be surveyed, divided, mapped and dedicated as represented on the plat. We also certify that this plat is required by s.236.10 or s.236.12 to be submitted to the following for approval or objection:

Winnebago County Planning and Zoning Committee
Town of Menasha
City of Neenah
Department of Administration

WITNESS the hand and seal of said owners this 1st day of September, 2006

Richard J. Pospisberg
Richard J. Pospisberg

Patricia K. Pospisberg
Patricia K. Pospisberg

State of Wisconsin) ss
Winnebago County)

Personally came before me this 1st day of September, 2006, the above named to me known to be the persons who executed the foregoing instrument and acknowledged the same.

Richard J. Pospisberg
Notary Public, Wisconsin

My commission expires: 4/26/09

NOTARY PUBLIC
STATE OF WISCONSIN
JUDY A. HUNKER

There are no objections to this plat with respect to Secs. 236.15, 236.16, 236.20 and 236.21(1) and (2), Wis. Stats. as provided by s. 236.12, Wis. Stats.

Certified August 24th 2006
Renee M. Poney
Department of Administration

WISCONSIN
WILLIAM E. KOTTLER
LS-2248
APPLETON
WI

LAND SURVEYOR
8/25/06

Owner's Certificate of Dedication

As owners, we hereby certify that we caused the land described on this plat to be surveyed, divided, mapped and dedicated as represented on the plat. We also certify that this plat is required by s.236.10 or s.236.12 to be submitted to the following for approval or objection:

Winnebago County Planning and Zoning Committee
Town of Menasha
City of Neenah
Department of Administration

WITNESS the hand and seal of said owners this 1st day of SEPTEMBER, 2006

Eugene R. Sawall
Eugene R. Sawall

State of Wisconsin) ss
Ozaukee County)

Personally came before me this 1st day of SEPTEMBER, 2006, the above named to me known to be the persons who executed the foregoing instrument and acknowledged the same.

Dawn M. Runkel
Notary Public, Wisconsin

My commission expires: 02/14/2010

State of Wisconsin) ss
Ozaukee County)

Personally came before me this 1st day of SEPTEMBER, 2006, the above named to me known to be the persons who executed the foregoing instrument and acknowledged the same.

Dawn M. Runkel
Notary Public, Wisconsin

My commission expires: 02/14/2010

Owner's Certificate of Dedication

As owners, we hereby certify that we caused the land described on this plat to be surveyed, divided, mapped and dedicated as represented on the plat. We also certify that this plat is required by s.236.10 or s.236.12 to be submitted to the following for approval or objection:

Winnebago County Planning and Zoning Committee
Town of Menasha
City of Neenah
Department of Administration

WITNESS the hand and seal of said owners this 1st day of SEPTEMBER, 2006

Land Contract Vendor
In the presence of:
Eugene R. Sawall
Eugene R. Sawall

Land Contract Vendee
In the Presence of: Decker Rusch Development, Inc.
Gordon H. Decker
Gordon H. Decker, President

State of Wisconsin) ss
Ozaukee County)

Personally came before me this 1st day of SEPTEMBER, 2006, the above named to me known to be the persons who executed the foregoing instrument and acknowledged the same.

Dawn M. Runkel
Notary Public, Wisconsin

My commission expires: 02/14/2010

State of Wisconsin) ss
Ozaukee County)

Personally came before me this 1st day of SEPTEMBER, 2006, the above named to me known to be the persons who executed the foregoing instrument and acknowledged the same.

Dawn M. Runkel
Notary Public, Wisconsin

My commission expires: 02/14/2010

Owner's Certificate of Dedication

As owners, we hereby certify that we caused the land described on this plat to be surveyed, divided, mapped and dedicated as represented on the plat. We also certify that this plat is required by s.236.10 or s.236.12 to be submitted to the following for approval or objection:

Winnebago County Planning and Zoning Committee
Town of Menasha
City of Neenah
Department of Administration

WITNESS the hand and seal of said owners this 1st day of September, 2006

Land Contract Vendor
In the presence of:
Ronald C. Meyer
Ronald C. Meyer

Land Contract Vendee
In the Presence of: Decker Rusch Development, Inc.
Gordon H. Decker
Gordon H. Decker, President

State of Wisconsin) ss
Winnebago County)

Personally came before me this 1st day of September, 2006, the above named to me known to be the persons who executed the foregoing instrument and acknowledged the same.

Ronald C. Meyer
Notary Public, Wisconsin

My commission expires: 4/26/09

State of Wisconsin) ss
Winnebago County)

Personally came before me this 1st day of September, 2006, the above named to me known to be the persons who executed the foregoing instrument and acknowledged the same.

Ronald C. Meyer
Notary Public, Wisconsin

My commission expires: 4/26/09

NOTARY PUBLIC
STATE OF WISCONSIN
JUDY A. HUNKER

File: 2802final plat.dwg
Date: 08/16/2006
Drafted By: erc
Sheet: 3 of 3

Davel Engineering, Inc.
Civil Engineers and
Land Surveyors
1811 Racine Street
Menasha, Wisconsin
Ph. 920-991-1966, Fax 920-830-9595

Revision Date: Aug 16, 2006