




BENCHMARKS (NAVD 88)

BM 0	NGS PID PM0075 Brass Disk Elev 749.34
BM 1	Brass Disk on SE Corner of Bridge ±340' N of S. Huron & Evening Star Elev 750.14
BM 2	Fire Hydrant, X on Bolt SW Corner of Willow and Huron Elev 754.96
BM 3	Fire Hydrant, X on Bolt ±460' East of BM2 Elev 757.52
BM 4	Fire Hydrant, X on Bolt ±470' East of BM3 Elev 758.46
BM 5	Fire Hydrant, X on Bolt ±500' East of BM4 Elev 761.25

NOTES:

- Existing utilities shown are indicated in accordance with available records and field measurements. The contractor shall be responsible for obtaining exact locations & elevations of all utilities, including sewer and water from the owners of the respective utilities. All utility owners shall be notified by the contractor 72 hours prior to excavation. Contact Digger's Hotline (1-800-242-8511) for exact utility locations.
- The Contractor shall verify all staking and field layout against the plan and field conditions prior to constructing the work and immediately notify the Engineer of any discrepancies.
- Vegetation beyond slopes shall remain.
- The contractor shall minimize the area disturbed by construction as the project is constructed. Disturbed areas shall be seeded as soon as final grade is established. Contractor shall replace topsoil and then seed, fertilize and mulch all lawn areas within 1 week of topsoil placement.
- Contractor shall remove all excess materials from the site. Earthwork contractors shall verify topsoil depth.
- All sediment and erosion control devices and methods shall be in accordance with the Wisconsin DNR Technical Standards. Please refer to the Erosion Sediment Control Plan.

DRAINAGE PLAN CERTIFICATION:

I, John R. Davel, Professional Engineer, hereby certify that this Drainage Plan will meet or exceed the requirements of the Village of Bellevue.

John R. Davel, P.E. E-25512

Date

LEGEND

	608	Proposed Storm Sewer
	608.73	Proposed Contour
	608.73	Proposed Swale
	608.73	Proposed Culvert
	608.73	Adjacent Plat Grade
	608.73	Prop. Lot Corner Elevation
	608.73	Proposed Spot Elevation
	608.73	Existing Grade
	000.0	Proposed Storm Manhole
	000.0	Proposed Curb Inlet
	000.0	Prop. Catch Basin / Yard Drain
	000.0	Proposed Endwall
	000.0	Proposed Rip Rap
	000.0	Prop. Drainage Direction
	000.0	Prop. Grade at Foundation

**DRAINAGE & GRADING
PLAN NORTH**

Willow Glen
Village of Bellevue, Brown County, WI
For: Apple Tree GB Four, LLC